

#### LOCKS & HARDWARE 2025-26

GATE LOCKS

GATE CLOSERS

GATE HINGES

GATE ACCESSORIES



GATEMASTER

WWW.GATEMASTERLOCKS.COM

#### **G** ABOUT US

Founded in 1995, Gatemaster is the UK manufacturer of innovative ranges of gate locks, closers and hardware for metal and wooden gates.

At Gatemaster, we make gate hardware simple, strong, and built to last-no fuss, just reliable products that deliver on performance and quality. We know gate and fence professionals like you need hardware that's guick to install, works flawlessly, and stands the test of time. That's exactly what we deliver.





We aim for gate professionals worldwide to view Gatemaster products as their top choice, trusted for their reliability, durability, and ease of installation.

6 +44 (0)1243 558580

@

sales@gatemasterlocks.com

www.gatemasterlocks.com



Exceptional **Customer Service** Expert help whenever you need it.



**Built for Outdoors** Durable and weatherresistant designs.



**Quick Fitting Time** Simple setup with minimal effort required.



Made in the UK Proudly crafted with local expertise.



**Superior Quality** Premium materials for lasting performance.



**Worldwide Shipping** Reliable and swift delivery across the globe.

Gate Locks	5
Superlock Range	6
SelectPro Bolt-On	20
SelectPro Weld-In	32
Wooden Gate Locks	38
Mortice Locks	46
Electric Locks	50
Lock Handles	54
Gate Hinges	56
SuperHinge	57
Stop Hinge	58
Security Collars	59
Gate Closers	60
Hydraulic Gate Closer	61
Gate Closing Strut	62
Light Duty Gate Closer	63
Gate Accessories	64
Drop Bolts	66
Buffers	70
Gate safety & security	72



# **G** ABOUT US



2 1

3 🐨 🐨 4.00 s 🐨 🎟 x 🐨 🐨

Y 🗃 🖬


Superlock Code Lock - see page 11

Superlock Range - see page 6

We make gate hardware simple so you can do what you do best.

Superhinge - see page 57







As a family-owned business, we're here to be your go to for gate hardware. We're committed to solving your gate challenges and helping you achieve more.

We'll steer you towards the perfect lock solutions for your needs, and if you ever have questions, don't hesitate to ask-we're always here to help.




















# GATE LOCKS G





## SUPERLOCK RANGE

#### 4

Adjustable: Features a removable & for easier installation.

#### 5

Built to Last: Made for the outdoors with exceptional





GATEMASTER 7



# **Superlock Bolt-On Latch Deadlock 2.0**

#### The ultimate combination of convenience and security for your gates.


The Bolt-On Latch Deadlock offers the ease of everyday use with a latch and the enhanced protection of a deadlock. Operate the latch with the handles for daily access, and lock it securely in place with the turn of a key when needed.


- New Seamless One-Piece Design: Enhanced design eliminates joints and welds, ensuring superior durability and a streamlined appearance.
- Secure: Features a stainless steel latchbolt that latches 15mm into the gate post and extends to 30mm when deadlocked.
- Adaptable: Slim 70mm case design makes this lock compatible with a wide range of gate styles.
- **Convenient:** Adjustable latchbolt length and • rotatable for left or right-handed gates.
- Reliable: Comes with a guide plate and brass bearing for long-lasting performance.
- Versatile Sizes: Available in two options-1030 for up to 30mm gate frames and 4060 for 40mm to 60mm frames.
- Supplied Handles: Choose between the plain lever (P) or traditional handle (T) styles.
- **Double-Sided Access:** Equipped with handles ٠ and key access on both sides for added convenience.
- Enhanced Security: Pair it with the Superlock Keep to maximise security and durability. A standard strike plate is included, but the Superlock Keep is recommended for thorough protection.

#### **AVAILABLE VERSIONS**


BLD1030P	To fit 10mm to 30mm - profiled handle
BLD4060P	To fit 40mm to 60mm - profiled handle
BLD1030T	To fit 10mm to 30mm - traditional handle
BLD4060T	To fit 40mm to 60mm - traditional handle











#### $\star$ $\star$ $\star$ $\star$

"Comes with detailed instructions and all necessary hardware, making installation straightforward. Great service. Highly recommend."

#### **Superlock Bolt-On Deadlock**

#### Maximum security meets effortless simplicity with the Superlock Deadlock.

Designed for ultimate reliability, its single 15mm locking action ensures robust protection, while the slim depth allows it to fit seamlessly into most gate designs.

- Easy to Fit: The slim 70mm lock case, combined with an adjustable and removable deadbolt, makes installation a breeze.
- Simple Deadlock Action: Operate with a key on • both sides for secure opening and closing.
- Corrosion Resistant: Crafted from stainless steel for superior durability and resistance to the elements.
- **Convenient:** Adjustable deadbolt length ensures ٠ precise fitting directly on site.
- **Reliable:** Includes a guide plate with a brass bearing for long-lasting performance.
- Versatile Sizes: Available in two options-1030 for 10mm to 30mm gate frames and 4060 for 40mm to 60mm frames.

AVAILABLE VERSIONS	
BD1030	To fit 10mm to 30mm frame
BD4060	To fit 40mm to 60mm frame





# **Superlock Keylatch**


# A durable, premium latch lock that operates with a key, the Superlock Keylatch is the ideal solution for reliable security.

Built for outdoor use, it's weather- and corrosionresistant, making it perfect for metal gate frames. Plus, it's designed for straightforward installation—just drill three holes, bolt it on, and you're ready to go.

- **Built to Last:** Made from stainless steel for exceptional durability in any weather.
- Key-Operated Simplicity: Slam the gate shut and open it with the key for hassle-free security.
- **Easy to Fit:** A slim 70mm lock case with an adjustable, removable latchbolt makes installation simple.
- Adaptable Design: The latchbolt is adjustable in length and can be rotated for left- or right-handed gates.
- Added Support: Includes a bolt support plate and gate post strike plate for a secure fit.
- Versatile Sizes: Available in two options— 10mm to 30mm gate frames and 40mm to 60mm frames.








# AVAILABLE VERSIONS BK1030 To fit 10mm to 30mm frame BK4060 To fit 40mm to 60mm frame





Lever handle option available. Designed for easier gripping and turning, plus our built-in anti-climb feature. PRODUCT CODE: BDGSL

# Superlock Code Lock - Double-Sided Keypad

# Secure access made simple with the Double-Sided keypad Superlock.

Combining the convenience of a mechanical keypad with the straightforward installation of the Superlock range, this lock is easy to fit—just drill three holes and bolt it on.

- **No Power Needed:** Operates with mechanical keypads for fast, hassle-free installation.
- Adaptable Design: Slim 70mm case suits a variety of gate styles.
- Enhanced Security: The latchbolt projects up to 13mm into the gate post, providing increased security and greater tolerance.
- Built to Last: Stainless steel mechanism and a bolt support plate with a brass bearing ensure durability.
- **Fully Adjustable:** The latchbolt length can be adjusted and set for left- or right-handed gates.
- Auto-Latching: Simply close the gate to latch it securely; enter the code and turn the handle to open.
- **Dual Keypads:** Equipped with keypads on both sides for added convenience. Also available with a rear handle option—see the next page.
- **Smooth Operation:** Supplied with a gate post strike plate for seamless latching.
- **Extra Security:** Use with a Superlock Keep to maximise security and extend product life (see page 17).

AVAILABLE VERSI	IONS
BDG1030	To fit 10mm to 30mm frame
BDG4060	To fit 40mm to 60mm frame
LEVER HANDLE VERSIONS	
BDGL1030	To fit 10mm to 30mm frame
BDGL4060	To fit 40mm to 60mm frame







# Superlock Code Lock - Single-Sided Keypad

#### The perfect balance of security, simplicity, and durability for modern gates

The Superlock Single-Sided Code Lock is designed for box section metal gate frames, this slim and sturdy lock is easy to install and adjust, offering reliable and convenient access every time.


- **Convenient Access:** Digital keypad on one side with a rear handle for smooth operation.
- Hold-Back Feature: Keep the latch retracted when needed, adding extra convenience.
- Easy to Fit: Slim 70mm lock case accommodates a variety of gate applications.
- Secure: Stainless steel latchbolt latches 13mm • into the gate post for robust security.
- **Durable Design:** Built to last with a stainless steel mechanism and a brass-bearing bolt support plate.
- Adaptable: Adjustable latchbolt suits different box section sizes.
- ٠ Versatile Options: Comes with a keypad on one side and a handle on the other. For keypads on both sides, see page 11.
- Smooth Operation: Includes a gate post strike plate for easy and secure latching.
- Enhanced Security: Pair with the Superlock Keep ٠ for added protection and extended product life (see page 17).

#### **AVAILABLE VERSIONS**

BDGS1030L	To fit 10mm to 30mm, left hand
BDGS4060L	To fit 40mm to 60mm, left hand
BDGS1030R	To fit 10mm to 30mm, right hand
BDGS4060R	To fit 40mm to 60mm, right hand
LEVER HANDLE VI	ERSIONS
BDGSL1030L	To fit 10mm to 30mm, left hand
BDGSL4060L	To fit 40mm to 60mm, left hand
BDGSL1030R	To fit 10mm to 30mm, right hand
BDGSL4060R	To fit 40mm to 60mm, right hand








Lever handle option available. Designed for easier gripping and turning, plus our built-in anti-climb feature. **PRODUCT CODE: BDGSL** 

GATEMASTER 1 0 6 2 0 7 3 🔘 🎯 4 0 09 5 🔿 📿 X O OY XOOC

New Product



DOUBLE-SIDED RAPIDRESET AVAILABLE Enhance security with a double-sided keypad and unique codes for customised access. **PRODUCT CODE: BDGRR** 

#### Superlock with RapidReset Code Change

#### **Revolutionise gate security with the Superlock** featuring RapidReset.

Designed for ultimate convenience, this innovative lock lets you change codes in seconds while maintaining robust, secure functionality-all without the need for power or batteries.

- 10-Second Code Changes: Update the code fast, without removing the lock from the gate.
- No Battery or Power Needed: Low maintenance, non-electric secure locking mechanism.
- Easy to Fit: The slim 70mm wide lock case and the • adjustable and removable latchbolt ensure easy installation.
- Easy to Operate Handle: Designed particularly • for those with mobility issues who find gripping and turning difficult.
- Highly Secure: The latchbolt moves 15mm • ensuring the bolt enters deep into the gatepost.
- Anti-Climb Handle: This lock is also fitted with an anti-climb handle to prevent intruders from using the handle as a foothold to climb the gate.
- Hold-Back Function: When the button on the • back is activated to hold the lock in the open position.
- Long-Lasting & Durable: Purpose-engineered • for outdoor use with anti-corrosion and stainless steel construction.
- Versatile Options: Also available with a double-• sided keypad for added flexibility.



#### **AVAILABLE VERSIONS**

BDGSRR1030	To fit 10mm to 30mm gate frames
BDGSRR4060	To fit 40mm to 60mm gate frames
DOUBLE-SIDED K	EYPAD VERSIONS
BDGRR1030	To fit 10mm to 30mm gate frames
BDGRR4060	To fit 40mm to 60mm gate frames







# Superlock Bolt-On Quick Exit - Keypad Entry

# Superlock Bolt-On Quick Exit - Key Entry

#### Effortless exit meets secure entry with the Superlock Quick Exit Digital Keypad.

Equipped with a green push pad for easy exit and a digital keypad for controlled entry, this lock is perfect for gates that require both convenience and security. A key entry version is also available (see page 15).

- Secure: Stainless steel latchbolt latches 13mm into the gate post for solid security.
- Adaptable: Slim 70mm lock case fits a variety of gate styles with ease.
- **Durable:** Made from stainless steel for corrosion resistance, with a bolt support plate for extended product life.
- Versatile Sizes: Available in two options-• 1030 for 10mm to 30mm gate frames and 4060 for 40mm to 60mm frames.
- **Smooth Operation:** Includes a gate post strike plate for seamless and secure latching.
- **Optional Shroud:** Add a shroud to restrict access to the push pad from outside the gate (see page 18).
- Enhanced Security: Pair with the Superlock Keep for increased protection and longer product life (see page 17).








Compatible with the Superlock Shroud (p. 18) to prevent outsiders from opening your gate!


AVAILABLE VERSI	ONS
BQDG1030L	To fit 10mm to 30mm, left hand
BQDG4060L	To fit 40mm to 60mm, left hand
BQDG1030R	To fit 10mm to 30mm, right hand
BQDG4060R	To fit 40mm to 60mm, right hand





"Good reliable products. They never fail to deliver."

 $\star$   $\star$   $\star$   $\star$ 



#### $\star$ $\star$ $\star$ $\star$

"Service was excellent, more importantly the lock is just what I needed - perfect and UK made, mostly in stainless!"

#### Combine safety and convenience with the quick-exit push pad, offering an easy, user-friendly exit and secure entry.

Featuring a green push pad for effortless exit, this lock is ideal for gates that require fast, reliable egress. This version includes key entry, with a digital keypad option also available.

- Secure: Stainless steel latchbolt latches 13mm into the gate post for solid security.
- Versatile Design: Slim 70mm case makes it • suitable for a wide range of gate styles.
- Durable Construction: Made from stainless steel for corrosion resistance and includes a bolt support plate for extended product life.
- **Smooth Operation:** Supplied with a gate post • strike plate for seamless latching.
- Multiple Sizes: Available in two options-10mm to 30mm gate frames and 40mm to 60mm gate frames
- Optional Shroud: Add a shroud to restrict access to the push pad from outside the gate (see page 18).
- Enhanced Security: Use with the Superlock Keep • to maximise security and durability (see page 17).



Compatible with the Superlock Shroud (p. 18) to prevent outsiders from opening your gate!

AVAILABLE VERSIONS	
BQK1030L	To fit 10mm to 30mm, left hand
BQK4060L	To fit 40mm to 60mm, left hand
BQK1030R	To fit 10mm to 30mm, right hand
BQK4060R	To fit 40mm to 60mm, right hand









### Superlock Bolt-On Quick Exit - No Outside Access

#### Simplify exits while maintaining security with the Superlock Bolt-On Quick Exit Lock

Ideal for gates used exclusively for exiting a property, this lock features a green push pad for easy exit from the inside, with no external access for added security.

- Versatile Fit: Slim 70mm case depth accommodates a variety of gate styles.
- Secure Design: Stainless steel latchbolt latches 13mm into the gate post for dependable security.
- **Durable Construction:** Made from stainless steel for corrosion resistance, complete with a bolt support plate to enhance product life.
- Flexible Sizing: Available in two options— 1030 for 10mm to 30mm gate frames and 4060 for 40mm to 60mm frames.
- **Smooth Operation:** Supplied with a gate post strike plate for secure and efficient latching.
- **Optional Shroud:** Add a shroud to restrict pad access from the outside (see page 18).

**AVAILABLE VERSIONS** 

BQ1030LNA BQ4060LNA

BQ1030RNA

BQ4060RNA

• Enhanced Security: Use with the Superlock Keep for greater protection and longer product life (see page 17).


RIGHT HAND	
E.H. Lock	

#### $\star\star\star\star\star$

"I find the products are great quality. Staff are friendly and happy to assist with technical information."













#### 16 SUPERIOR SOLUTIONS FOR GATE SAFETY & SECURITY CAI

To fit 10mm to 30mm, left hand

To fit 40mm to 60mm, left hand

To fit 10mm to 30mm, right hand

To fit 40mm to 60mm, right hand

#### **Superlock Keep**

Designed to work seamlessly with the entire Superlock range, this keep is easy to install. Mount the gate slam plate onto the gate frame when fitting the lock, and use the expanding fasteners to secure the keep to the gate post.

- Enhanced Security: Shields the latchbolt to prevent unauthorised access.
- Highly Versatile: Simple to fit to a wide range of gate applications.
- **Sleek Design:** Slim profile enhances the overall appearance of the gate.

#### BSK

Superlock keep

#### **Superlock Interlocking Keep**

The clever interlocking design ensures the gate cannot be levered off the post once closed. One section bolts securely in front of the lock, while the post bracket attaches easily using two expanding fasteners.

- **Maximum Security:** Prevents the gate from being levered or forced apart.
- **Effortless Installation:** Simple to fit and suitable for a variety of applications.
- Smart Look: Slim design enhances the gate's appearance for a clean, professional finish.



Superlock interlocking keep

#### **Superlock Gapless Keep**

The gapless keep is ideal for gates with a small gap between the gate and post, acting as both a security feature and a gate stop. Installation is quick and easy just drill two holes in the post and secure it with our innovative expanding fasteners.

- **Highly Versatile:** Simple to fit and suitable for a variety of gate applications.
- Enhanced Security: Blocks access to the latchbolt for added protection.
- Streamlined Design: Slim profile improves the gate's overall appearance.

BSKG	Gapless keep


# GATEMASTER 17



# **Superlock Quick Exit Shroud**

This security shroud prevents outside access to the gate, stopping intruders from reaching around to operate the lock. Installation is quick and simple-just bolt the shroud in front of the lock with no additional fixings required. The updated design now makes the BQS Security Shroud fully compatible with the Superlock Quick Exit gate locks (pp. 14-16) and the single-sided Superlock Digital Code gate lock (p. 12).







Superlock quick exit shroud


#### **Round Bar Adapter**

BQS

The round bar adapter allows the entire Superlock range to be securely fitted to gates with round post sections. This kit includes a gate adapter and a gate post adapter, ensuring a sturdy and reliable installation for both the lock and any keep in the range. Crafted from stainless steel, it offers excellent durability and corrosion resistance for long-lasting durability.



AVAILABL	E VERSIONS
RBA	Round bar adapter - lock kit
RBAK	Round bar adapter - lock and post kit





# Superlock Range G








# SELECT PRO BOLT-ON CLASSIC DESIGN, RELIABLE PERFORMANCE

Our original bolt-on lock range, trusted by gate professionals continues to be a popular choice worldwide. From keyed locks and digital keypads to panic exit locks and locking latches, the SelectPro range offers versatile solutions to suit all gate styles and designs.

SBLD Latch Deadlock	2
SBD Deadlock	22
SBKLLT Long Throw Keylatch	2
SBL Latch	24
SBQEK Key Quick Exit	2
SBQEDGL Code Quick Exit	20
SBQE NA Quick Exit No Access	2
DGL Code Lock Double-Sided	28
DGLS Code Lock Single-Sided	29
SBQES Quick Exit Shroud	3(



SHOWN WITH ALLOY HANDLE SET (AH)



SHOWN WITH TRADITIONAL HANDLE SET (TDH)

#### SelectPro Bolt-On Latch Deadlock

#### Get convenience and security in one with the SelectPro Bolt-On Latch Deadlock.

Ideal for everyday use, this lock combines the practicality of a latch with the added protection of a deadlock. Operate the latch with the handles, then turn the key to extend the latchbolt and secure the gate.

- Secure: Stainless steel latchbolt latches 13mm into the gate post and extends to 30mm when deadlocked.
- Adaptable: Latchbolt is adjustable in length and • can be rotated for left- or right-handed gates.
- **Convenient:** Both the handle and key can be operated from either side of the gate.
- Reliable: Includes a guide plate with a brass bearing to ensure long-lasting performance.
- Versatile Sizes: Available in two options-01 for 10mm to 30mm gate frames and 02 for 40mm to 60mm frames.
- Stylish Options: Supplied with handles in two styles-plain lever (AH) or traditional design (TDH).
- **Smooth Operation:** Comes with a gate post strike plate for easy and secure latching.

#### AVAILABLE VERSIONS

SBLD1601	10mm to 30mm gate frames	
SBLD1602	40mm to 60mm gate frames	
SBLD1601AH	10mm to 30mm gate frames, AH Handle	
SBLD1601TDH	10mm to 30mm gate frames, TDH handle	
SBLD1602AH	40mm to 60mm gate frames, AH Handle	
SBLD1602TDH	40mm to 60mm gate frames, TDH Handle	





# SelectPro Bolt-On Deadlock

#### Secure your gate with the SelectPro Bolt-On Deadlock-where convenience meets dependable security.

Featuring a robust stainless steel deadbolt with a 30mm long throw, this lock ensures your gate is locked deep into the gate post for maximum protection.


- Easy Installation: Adjustable deadbolt allows for precise fitting on-site.
- **Convenient Access:** Key operation on both sides • with simple unlocking via one turn of the key.
- Versatile Options: Available in two sizes-01 for 10mm flat bar to 30mm box section, and 02 for 40mm to 60mm box section.
- Built to Last: Includes a deadbolt guide plate to reduce stress on the lock, ensuring long-lasting reliability.






AVAILABLE VERSIONS	
GBD1601	10mm to 30mm gate frames
SBD1602	40mm to 60mm gate frames





 $\star \star \star \star \star$ 

"Excellent products and very helpful over the phone. I would definitely recommend."



#### $\star \star \star \star \star$

"Good range of professional level products, difficult to find items, and real engineered solutions."



### SelectPro Bolt-On Long Throw Keylatch

#### Ensure secure and reliable gate access with the SelectPro Bolt-On Long Throw Keylatch.

Perfect for communal gates where the gate needs securing every time it is shut, this lock automatically latches shut when the gate is closed and can only be opened with a key, providing dependable security every time.

- Adaptable: Adjustable latchbolt length, suitable for both left- and right-handed gates.
- Enhanced Security: Stainless steel latchbolt springs an impressive 20mm into the gate post for increased protection.
- Convenient Access: Keyed on both sides for easy entry and exit.
- Long-Lasting Performance: Supplied with a • guide plate featuring a brass bearing to ensure durability.
- Versatile Options: Available in two sizes-01 • for 10mm to 30mm flat bar or box section gate frames, and 02 for 40mm to 60mm frames.
- Smooth Operation: Includes a gate post strike ٠ plate for seamless and secure latching action.

#### **AVAILABLE VERSIONS** SBKLLT1601 10mm to 30mm gate frames SBKLLT1602 40mm to 60mm gate frames







# SelectPro Bolt-On Quick Exit - Key Entry

# SelectPro Bolt-On Latch

#### Simplified gate access with this reliable lock-free SelectPro latch.

Perfect for holding a gate shut without the need for locking, this solution is ideal for housing developments, playgrounds, and other communal spaces where ease of access is key and no locking facility is necessary.


- **Dependable Hold:** Stainless steel latchbolt springs 13mm into the gate post to securely hold the gate closed.
- Adaptable Fit: Adjustable latchbolt length, suitable for both left- and right-handed gates.
- **Durable Design:** Includes a guide plate with a brass bearing to ensure long-lasting performance.
- Versatile Sizes: Available in two options— 01 for 10mm to 30mm flat bar or box section gate frames, and 02 for 40mm to 60mm frames.
- **Stylish Options:** Supplied with handle options in two designs—plain lever style (AH) or traditional handle style (TDH).
- **Smooth Operation:** Comes with a gate post strike plate for seamless and secure latching action.






AVAILABLE VERSIONS	
SBL1601	10mm to 30mm gate frames, no handle
SBL1601AH	10mm to 30mm gate frames, AH handle
SBL1601TDH	10mm to 30mm gate frames, TDH handle
SBL1602	40mm to 60mm gate frames, no handle
SBL1602AH	40mm to 60mm gate frames, AH handle
SBL1602TDH	40mm to 60mm gate frames, TDH handle







#### Combine security and rapid exit with the SelectPro Bolt-On Quick Exit Lock with Key Access.

Purpose-built for metal gates, this lock offers robust performance, ease of installation, and reliable automatic latching for maximum convenience.

- Enhanced Security: Stainless steel 16mm latchbolt springs 20mm into the gate post for a secure hold.
- **Durable Design:** Supplied with a bolt guide plate and gate post strike plate to ensure reliability and longevity.
- **Adaptable Fit:** Adjustable latchbolt length allows for precise fitting during installation.
- Versatile Options: Also available as a quick exit/ digital keypad combination (see page 26).
- **Optional Shroud:** Security shroud available to prevent access to the pad from outside the gate (see page 30).





Compatible with the SelectPro Shroud (p. 30) to prevent outsiders from opening your gate!

AVAILABLE VER	SIONS
SBQEKLL01	To fit 10mm to 30mm, left hand
SBQEKLL02	To fit 40mm to 60mm, left hand
SBQEKLR01	To fit 10mm to 30mm, right hand
SBQEKLR02	To fit 40mm to 60mm, right hand





# SelectPro Bolt-On Quick Exit - Keypad Entry

#### SelectPro Bolt-On Quick Exit - No Outside Access

Streamline gate access with this quick exit lock, combining secure entry and effortless installation. Designed for metal gates, it features a push-button keypad on the outside for entry and a green push pad on the inside for fast, keyless exit. The latch automatically secures when the gate closes, ensuring convenience and reliability.


- **Simple Installation:** Drill just three holes in the gate frame for an easy fit.
- Enhanced Security: 16mm stainless steel latchbolt extends 20mm into the gate post for robust locking.
- **Precise Adjustment:** Adjustable latchbolt length allows for a perfect fit on-site.
- Durable Construction: Supplied with a bolt guide plate and gate post strike plate for lasting performance.
- Versatile Options: Also available with key entry from the outside (see p. 25).
- **Optional Security Shroud:** Prevents access to the push pad from outside the gate (see p. 30).






AVAILABLE VER	SIONS
SBQEDGLL01	To fit 10mm to 30mm, left hand
SBQEDGLL02	To fit 40mm to 60mm, left hand
SBQEDGLR01	To fit 10mm to 30mm, right hand
SBQEDGLR02	To fit 40mm to 60mm, right hand







# Ensure fast, secure one-way exit with this quick exit gate lock, offering robust performance and ease of use.

Designed for metal gates, this lock is ideal for gates requiring one-way access. The angled latch bolt ensures the gate automatically latches shut upon closing, providing reliable security without outside entry.

- **One-Way Access:** Allows exit only, with no outside entry for added security.
- **High Security:** Features a 16mm stainless steel latchbolt that extends 20mm into the gate post.
- **Durable Construction:** Includes a bolt guide plate and gate post strike plate for smooth and lasting operation.
- **Customizable Fit:** Adjustable latchbolt length for precise on-site fitting.
- Effortless Installation: Drill just three holes in the gate frame for a straightforward setup.
- Versatile Options: Available with key or digital keypad entry for gates requiring dual-side access (see p. 25-26).
- **Optional Shroud:** Prevents tampering or pad access from the outside (see p. 30).



Compatible with the SelectPro Shroud (p. 30) to prevent outsiders from opening the gate!

AVAILABLE VER	SIONS
SBQEL01NA	To fit 10mm to 30mm, left hand
SBQEL02NA	To fit 40mm to 60mm, left hand
SBQER01NA	To fit 10mm to 30mm, right hand
SBQER02NA	To fit 40mm to 60mm, right hand





31 (1-1/4")



# SelectPro Bolt-On Code Lock - Double-Sided Keypad


## SelectPro Bolt-On Code Lock - Single-Sided Keypad

This digital gate lock combines the convenience of a mechanical keypad with the ease of installation of the bolt on lock range. To fit simply drill three holes in the gate frame and bolt the lock on.

- No power needed mechanical keypads for a quick and easy install.
- Secure latchbolt projects up to 20mm into the gate post which increases security and gives more tolerance.
- Long lasting brass bearing plate supports the latchbolt reducing wear and increasing product life.
- Adaptable the latchbolt can be adjusted in length and set to left hand or right hand.
- **Durable** tested to over 1000 hours salt spray, this product will survive the elements.
- **Auto-latching** close the gate and the latchbolt latches into the gate frame. To open the gate enter the code and turn the handle.
- Keypad on both sides also available as a keypad and rear handle.









92[3-5/8"]Centres
-------------------

"Very good products, good prices and great service."

 $\star$   $\star$   $\star$   $\star$   $\star$ 

AVAILABLE V	/ERSIONS
DGL01	To fit 10mm to 30mm gate frames
DGL02	To fit 40mm to 60mm gate frames





## Achieve secure, keyless entry with this reliable digital gate lock.

Featuring a mechanical keypad on the outside and a free-turn handle on the inside, this lock combines convenience and robust functionality. Its auto-latching feature ensures the gate locks upon closing, with the added flexibility of a hold-back function to keep the gate unlocked when needed.

- **Power-Free:** Mechanical keypad eliminates the need for electricity or batteries.
- Enhanced Security: The latchbolt extends up to 20mm into the gate post, offering increased security and greater tolerance.
- Built to Last: Includes a brass bearing plate to support the latchbolt, reducing wear and prolonging the lock's lifespan.
- Highly Adaptable: Adjustable latchbolt length accommodates both inward and outward-opening gates.
- Weatherproof Durability: Successfully tested to withstand over 1,000 hours of salt spray, ensuring resistance to the elements.
- Auto-Latching Design: The latchbolt automatically engages upon closing the gate.
- Flexible Configurations: Keypad on one side and handle on the other, with the option for dual-keypad access.

#### AVAILABLE VERSIONS

DGLS01L	10mm to 30mm gate frame, left hand
DGLS01R	10mm to 30mm gate frame, right hand
DGLS02L	40mm to 60mm gate frame, left hand
DGLS02R	40mm to 60mm gate frame, right hand






# SelectPro Quick Exit Shroud

#### Enhance gate security with this easy-to-fit shroud for Quick Exit locks.

This shroud is a simple yet effective upgrade to boost the security of your Quick Exit gate locks. Designed to prevent tampering, the shroud restricts access to the push pad from the outside, providing an added layer of protection for your gate.

- **Increased Security:** Effectively blocks access to the push pad from the outside of the gate.
- Effortless Installation: Simply bolts between the lock and the frame—no welding or extra holes required.
- Wide Compatibility: Suitable for all Gatemaster Quick Exit locks (pp. 25-27) and the digital single-sided lock (p. 29).





30

# SelectPro Range G



GATEMASTER 31

# SELECTPRO WELD-IN SEAMLESS **SECURITY**


Our weld-in gate locks provide a discreet and highly secure locking solution. Simply weld the steel case into the gate frame, paint it along with the gate, and slide the mechanism in after

Suitable for both bespoke and massproduced gates, weld-in locks are Their design allows a section of the gate to be cut out, enabling the lock to be welded flush with the front and sides of the box section for a streamlined look.

SWLD Latch Deadlock	33
SWD Deadlock	34
SWKLLT Long Throw Keylatch	35
SelectPro Weld-In Accessories	36







#### SelectPro Weld-In Latch Deadlock

#### This weld-in latch deadlock is ideal for those seeking a robust, secure, lock with a latch and deadlock.

Featuring both a latch and a deadlock on a single bolt, this SelectPro gate lock, offers a seamless solution for security on metal gates. Operate the latch with the handles, and turn the key to extend the deadbolt 30mm into the gate post for added security.

- Enhanced Security: Stainless steel latchbolt springs 13mm into the gate post and extends to 30mm when deadlocked.
- Precise Fit: Adjustable latchbolt length allows for • on-site customisation, and it can be rotated for left- or right-handed gates.
- Maximum Strength: Welding the lock into the gate ensures the most secure installation method.
- Long-Lasting Durability: Features a brass latchbolt bearing for smooth, reliable operation over time.
- Versatile Sizing: Available in four widths to suit popular gate frame sizes
- Handle options: See page 54 for our available handles
- Complete Kit: Supplied with a gate post strike • plate for smooth latching action.

# SEE DIAGRAM ON P.36 FOR HOW TO MEASURE THE GATE FRAME

AVAILABLE VERSIONS	
SWLD1630	30mm wide gate frames
SWLD1640	40mm wide gate frames
SWLD1650	50mm wide gate frames
SWLD1660	60mm wide gate frames





# SelectPro Weld-In Deadlock

#### Achieve robust security for metal gates with this solid weld-in deadlock.

This weld-in deadlock is the ideal choice for those seeking strength, adaptability, and secure gate locking. Featuring a single keyed deadlocking action, the lock extends the deadbolt 30mm with just one turn of the key, providing reliable protection for your gates.

- Enhanced Security: Stainless steel deadbolt extends 30mm into the gate post for a secure hold.
- **Precise Fit:** Adjustable deadbolt length ensures • accurate on-site fitting.
- Maximum Strength: Welding the lock into the • gate offers the most secure installation method.
- Convenient Access: Keyed on both sides for easy ٠ operation.
- **Durable Construction:** Made with a 2.5mm steel • lock case for long-lasting reliability.
- Versatile Options: Available in four lock case • widths to suit various box section sizes.






# SelectPro Weld-In Long Throw Keylatch




#### **SEE DIAGRAM ON P.36 FOR HOW** TO MEASURE THE GATE FRAME

AVAILABLE VERSIONS	
SWD1630	30mm wide gate frames
SWD1640	40mm wide gate frames
SWD1650	50mm wide gate frames
SWD1660	60mm wide gate frames





"Nothing short of excellent service, well done to all!"



#### Ensure dependable security with the SelectPro Long Throw Keylatch.

The SelectPro Long Throw Keylatch is the perfect choice for gates that require secure locking when the gate is closed shut. Designed to automatically lock when the gate is pulled closed, this key-operated latch is ideal for communal gates, ensuring they are securely locked every time they are shut.

- Reliable Security: Simply slam the gate shut—it locks automatically and requires a key to open.
- Enhanced Protection: Stainless steel latchbolt • extends 30mm into the gate post for added security, with a long throw for extra strength.
- **Customizable Fit:** Adjustable latchbolt length and rotatable design make it suitable for both left- and right-handed gates.
- Long-Lasting Durability: Fitted with a brass latchbolt bearing for smooth, reliable operation over time.
- Versatile Sizing: Available in four lock case ٠ widths to suit popular box section sizes.

# SEE DIAGRAM ON P.36 FOR HOW TO MEASURE THE GATE FRAME


30mm wide gate frames
40mm wide gate frames
50mm wide gate frames
60mm wide gate frames





#### Measuring the gate frame

# THE WIDTHS FOR WELD-IN LOCKS ARE MEASURED AS SHOWN IN THE DIAGRAM



#### **Stainless Steel Escutcheon**

Crafted from stainless steel, this escutcheon provides protection for the cylinder while neatly covering the hole created during installation.

• Dimensions: 68mm height x 32mm width



#### AVAILABLE VERSIONS

Stainless Steel Escutcheon SSE

# **Security Escutcheon to Weld**

Designed for enhanced protection, the security escutcheon shields the cylinder from potential attack. It is commonly paired with weld-in locks to improve overall security.

Dimensions: • 46mm height x 30mm width



AVAILABLE VERSIONS	
WSE04	4mm thickness
WSE08	8mm thickness
WSE12	12mm thickness

#### **SelectPro Handles**



**Alloy Handle** SEE PAGE 54



**Traditional Handle** SEE PAGE 54



**Stainless Steel** SEE PAGE 54



# SelectPro Weld-In G







# WOODEN GATE LOCKS PURPOSE-MADE **SOLUTIONS**

Specifically crafted for wooden gates our locks take the nature of timber into consideration, providing ultimate adjustability and reliability. Available in locks are easy to install on new gates or as a retro-fit solution for existing gates.

BDGW Double-Sided Keypad	3'
BDGSW Single-Sided Keypad	4
SLDS Superlatch Code	4
GLB Gate Locking Bolt	4
DGLW Code Lock Double-Sided	4
DGLSW Code Lock Single-Sided	4
SBQEDGLW Quick Exit Code Lock	4



#### Superlock Surface Fixed Code Lock - Double-Sided Keypad



#### Enjoy secure, keyless convenience with durability you can count on, even in challenging conditions.

Perfect for surface mounting to wooden gates, this double-sided keypad lock is easy to install and provides reliable, long-lasting performance in any environment. Simply drill three holes in the gate frame and attach using the supplied fixing screws. The code can be customized to suit your needs.

- **Power-Free Operation:** Mechanical keypads ensure quick installation without the need for electricity or batteries.
- Enhanced Security: Latchbolt projects up to 20mm into the keep, offering robust locking and greater tolerance.
- **Built to Last:** Tested to withstand over 1,000 hours of salt spray, making it ideal for outdoor use.
- Effortless Installation: Supplied with a keep for • straightforward fitting to the gate frame.
- Auto-Latching Design: The latchbolt automatically locks when the gate closes. To open, simply enter the code and turn the handle.
- Extra Security: Keep box included for added protection.

#### **AVAILABLE VERSIONS**

BDGWL	Left handed, inward opening
BDGWR	Right handed, inward opening
BDGWLO	Left handed, outward opening
BDGWRO	Right handed, outward opening
BDGWE140	Extension kit for gates up to 140mm thickness



ADJUSTABLE BOLT LENGTH



#### Superlock Surface Fixed Code Lock - Single-Sided Keypad


#### **Superlatch Surface Fixed Code Latch**

#### Secure and simplify gate access with a durable code lock with reliable performance for outdoor gates in any environment.


Designed for easy surface fitting, it features a mechanical keypad on the outside for keyless entry and a free-turn handle on the inside for guick exit. The code can be easily customized to your preferred combination, providing both convenience and security.


- **Power-Free Operation:** Mechanical keypads allow for a quick and hassle-free installation without electricity.
- Enhanced Security: Latchbolt projects up to 20mm into the keep, ensuring a secure hold with added tolerance.
- Effortless Installation: Supplied with a keep for straightforward fitting to the gate frame.
- Auto-Latching Design: The latchbolt automatically secures the gate when closed.
- To open from Outside: Enter the code and turn • the handle.
- To open from Inside: Simply turn the rear handle • at any time.
- Added Protection: Keep box included for extra • security.
- Versatile Fit: Supplied with fixings and spindle for gates up to 75mm thick, with an optional extension kit available for gates up to 140mm thick.

RIGHT HAND LOCK SHOWN




AVAILABLE	VERSIONS
BDGSWL	Left handed, inward opening
BDGSWR	Right handed, inward opening
BDGSWLO	Left handed, outward opening
BDGSWRO	Right handed, outward opening
BDGWE140	Extension kit for gates up to 140mm thickness









50 00

X ZZ

YO OC


#### Upgrade your gate security with the durable and versatile Superlatch Digital Lock.

Featuring a marine-grade keypad on the outside and a stainless steel latch on the inside, this innovative design offers a reliable and easy-to-install alternative to low-cost keypads.

- Effortless Installation: Drill just three holes through the gate and screw the lock into placeno complicated setup required.
- Auto-Latching Function: The latchbolt automatically engages when the gate closes, providing secure locking.
- Enhanced Security: Integrated shroud protects • the latch for added safety.
- Built to Last: Marine-grade keypad and stainless • steel latch with a powder-coated finish ensure long-lasting durability.
- Reversible Design: Latch can be flipped for left-• or right-handed gates.
- Flexible Application: Suitable for wooden or metal gates, indoors or outdoors.
- User-Friendly Setup: Comes with a drilling guide, fixings, and spindle for gates up to 75mm thick.
- Extension Kit Available: Supports gates • between 75mm and 140mm thick with an optional extension kit.

#### **AVAILABLE VERSIONS**

SLDS Superlatch digital SLDSE140 Extension kit for up to 140mm thickness







# **Gatemaster Gate Locking Bolt**

#### Secure your gate with this easy to install robust surface-mounted lock.

Designed for easy installation, it attaches directly to the surface of metal or wooden gates, providing reliable security. To deadlock the gate, simply turn the key behind you.


- **Convenient Access:** Keyed on both sides for simple and secure entry and exit.
- Versatile Design: Non-handed, making it suitable for both left- and right-handed gates.
- Long Throw for Security: 53mm deadbolt movement with a single turn of the key for a strong, secure lock.
- Durable Construction: Made from stainless steel, ensuring reliability in all outdoor environments.
- **Complete Kit:** Supplied with a screw-fixed keep plate (GLBKT) and fixing screws for both the lock and keep plate.
- Optional Weld-In Lock Plates: Plates are available for welding or screwing onto the gate, pre-drilled for perfect alignment with the lock. A slotted lock plate paired with the keep plate is ideal for securing double gates (see opposite page).

The lock euro cylinder which extends From the back of the lock is available in 2 lengths for different gate thicknesses.

SILVER VERSIONS	
GLB	Euro cylinder extends 24mm
GLB02	Euro cylinder extends 60mm
BLACK VERSIONS	
GLBB	Euro cylinder extends 24mm
GLBB02	Euro cylinder extends 60mm







#### GLBKT

**Screw-Fixed Keep Plate** (Included) Supplied with our Gate Locking Bolt, this stainless steel plate fits securely to the gate post to receive the locking bolt.

#### SSE

#### Screw-Fixed Escutcheon (Included)

Fitted around the euro cylinder, this Stainless Steel escutcheon provides added protection against attack.

#### GLBST

#### **Slotted Screw-Fixed Lock Plate**

Designed for wooden gates, this keep plate attaches to the second gate and passes through the slot in the lock plate, securing with the deadbolt. This helps prevent the gates from being forced open.

#### GLBP

#### **Standard Lock Plate**

Ideal for single gates, this lock plate is supplied with fixing screws. Weld it to the gate and fit the lock once the gate has been galvanised or painted.

#### GLBS

#### **Slotted Lock Plate**

Used for double gates, this keep plate is welded to the second gate and passes through the slot in the lock plate, where it is secured with the deadbolt. This prevents the gates from being forced apart. It can also be used to enhance security on single gates.

#### GLBK

#### **Weldable Steel Keep Plate**

Designed to be welded to the gate post for secure fitting. A screw-fixed version (GLBKT) is supplied with the lock as standard.

# Wooden Gate Locks G











 $\cap$ 



# SelectPro Surface Fixed Code Lock


Achieve secure, keyless access with this highperformance marine-grade digital gate lock.

Perfect for surface fitting on wooden gates, it combines convenience with reliability. Installation is simple-just drill three holes in the gate frame and attach using the supplied fixing screws. The code can be easily customized to suit your needs.

- **Power-Free Convenience:** Mechanical keypads eliminate the need for electricity or batteries, ensuring quick and fuss-free setup.
- Enhanced Security: The latchbolt extends up to 20mm into the keep, providing extra-strong locking and increased tolerance.
- Weather-Resistant Design: Tested to endure over 1,000 hours of salt spray, offering robust performance in outdoor environments.
- Effortless Installation: Supplied with a keep for • straightforward fitting to your gate.
- Auto-Latching Action: The latchbolt locks automatically when the gate is closed. To unlock, simply enter the code and turn the handle.
- Extra Security: Includes a keep box for enhanced protection.











#### **KEYPAD ON BOTH SIDES**

DGLWL	Left hand
DGLWR	Right hand

#### **KEYPAD ON OUTSIDE, HANDLE ON INSIDE**

DGLSWL	Left hand
DGLSWR	Right hand



10 (4-28 (3-718" Length L.H. Lock R.H. Lock

#### SelectPro Surface Fixed Quick Exit - Keypad Entry

#### Provide secure, keyless access and effortless quick exit with this surface mounted gate lock.

This surface fixed digital code gate lock features a quickexit push pad on the inside and a digital keypad on the outside. Designed for straightforward installation, it is ideal for both wooden and metal gates, making it perfect for locations requiring convenient exit and keyless entry.

- Corrosion-resistant: Built to withstand the elements, with a digital keypad on one side and a push-exit pad on the other, suitable for wooden and metal gates.
- Effortless Installation: Surface-mounted design requires only three drilled holes and screws to fit the lock securely onto the gate.
- **Auto-Latching:** Close the gate to automatically secure it as the latchbolt locks into the frame. To open, simply enter the code and turn the handle.
- Adjustable Latchbolt: The latch extends 22mm and can be adjusted in length for precise on-site fitting, ensuring a snug and reliable fit.

#### **AVAILABLE VERSIONS**

Oble Length

SBQEDGLWL	Surface fixed quick exit, left hand
SBQEDGLWR	Surface fixed quick exit, right hand







# MORTICE LOCKS DISCREET, ROBUST SECURITY

revolutionary design incorporating a latch and deadlock in one single hooked in square box section, the Gatemaster mortice lock is highly secure and protected from vandal attacks, blending well into any gate design.

ML4 Mortice Hook Lock MLK Keep





#### 1 2 3 **Complete Solution:** Compatible Design:

Fits seamlessly into sections or larger.

Available with a full

**Corrosion-Resistant:** Made entirely from long-lasting durability.





Mortice Locks **G** 

#### 4

#### Effortless Installation: Simply slot into pre-cut holes in the gate for quick fitting.

#### 5

Versatile Adjustment: Adjustable latch tip for both left- and righthanded gates.



# **ML4 Mortice Hook Lock**

#### The Gatemaster Mortice Hook Lock offers a perfect blend of strength, security, and stylish design for professional gate systems.

This innovative stainless steel lock combines a latch and deadlock in a single-action bolt, offering exceptional durability and effortless installation. Designed for 40mmx40mm box sections, it slides neatly into place without the need for drilling or tapping.

- Extra-Strong: Proven to withstand 1,000,000 openings for long-lasting performance.
- Effortless Installation: Once the profile is cut, the lock slides into position and secures with its own fixings.
- Highly Secure: The solid stainless steel hooked bolt resists forcing or levering attempts by intruders.
- Weatherproof: Constructed with premium stainless steel and brass components for superior corrosion resistance.
- Universal Fit: Adjustable latchbolt makes it suitable for both left- and right-handed gates.
- ٠ **Easy Operation:** Operate the latch with a handle or key, and deadlock it for added security.
- Customisable Style: Choose a separate cylinder and handle cover for a clean, minimal look or a onepiece polished cover plate for a sleek finish.
- Comprehensive Kit: Includes bolt-on keep. handles, cover plates, and a euro cylinder for a complete installation.

AVAILABLE VERSIONS	
ML4DCP	Kit with dual cover, plain handles
ML4DCO	Kit with dual cover, ornamental handles
ML4FCP	Kit with full cover, plain handles
ML4FCO	Euro cylinder extends 60mm



48



LEFT - GATE WITH FULL COVER AND **ORNAMENTAL (O) HANDLES** 


102 (4)

19,5


RIGHT - GATE WITH DUAL COVER AND PLAIN (P) HANDLES



# Mortice Lock Keep (Included with the ML4)







**Profiled Handle** SEE PAGE 54




G

#### Complete your gate system with this keep, designed to pair seamlessly with the mortice hook lock.

The stainless steel lock keep enhances the gate post's appearance while providing a secure and professional finish.

- Sleek Design: Covers the slot in the gate post for a neat, unobtrusive look.
- Effortless Installation: Simply bolts to the gate post using the included innovative expanding fasteners.
- Adjustable Fit: Compatible with post sizes from ٠ 40mm to 60mm.



#### **ML4 Handles**





# ELECTRIC LOCKS POWERFUL **MAG LOCK SOLUTIONS**


The Gatemaster electro-magnet kit locking gates electronically. Designed of a larger electronic gate system which can include a range of functions such as electric gate openers and intercom.

EMGK Electro-magnetic lock kit 51

ERHDM Electric release, mortice, 52 heavy duty, monitored







#### **Electro-Magnetic Lock Kit**

#### The high-quality maglock system is the simplest way to install mag lock, delivering seamless compatibility for your access control needs.

Designed for effortless installation, it includes fixing plates and pull handles, making it easy to operate while seamlessly integrating with any access control system. The maglock can be activated via a keypad, switch, or proximity fob.

- Exceptional Strength: Stainless steel maglock with a 545kg holding force and durable powdercoated attachment plates with built-in pull handles for smooth gate operation.
- User Friendly: Maglock includes a switch to provide locked/unlocked status signals.
- Effortless Installation: Simply bolt to the gate and • wire up using the provided fixings.
- Hassle-Free Solution: The simplest way to fit a • maglock system to any gate.

			12V	
		RED		+
		BLACK		т
		GREEN		_
		ORANGE		
Lock Status	s Sensor		24V	
BLUE	<u> </u>	RED		+
NC	BROWN	BLACK		
YELLOW	0	GREEN		
NO		ORANGE		-
AVAII ABI F VF	RSIONS			

Gate maglock system

EMGK



#### **Electric Release, Mortice, Heavy Duty, Monitored**

This robust electric release is designed to confirm whether a gate is securely closed. It offers the flexibility to convert between fail-safe mode (unlocks when power fails) and fail-secure mode (remains locked when power fails) depending on your application needs.

- **Built to Last:** Features a stainless steel faceplate and a deep locking tongue for increased gate tolerance.
- Flexible Installation: Can be set to fail-safe or fail-secure based • on the specific requirements of your gate system.
- **Professional Fit:** Morticed fit into the gate frame for a secure ٠ and reliable installation.

Note: We recommend contacting an electrician or electric gate specialist for installation.

ERHDM

Electric release, mortice, heavy duty, monitored

#### THE BIKE STORAGE LOCK SOLUTION

Pair the Electric Release with the Superlock Keylatch to create the ideal locking system for bike storage units or other external storage spaces.

electronic access control system, allowing the lock to

To exit, you can install an electronic push button for convenience or opt for a thumb-turn cylinder on the lock. This simple and cost-effective solution ensures quick and easy exit while maintaining security. Our APS closer is an ideal addition to ensure the gate closes securely every time.

- **Convenient Access:** Integrates with your chosen electronic entry method for effortless operation.
- Quick Exit: Optional internal thumb-turn allows for one-handed exit.
- Customisable Security: Configure the keep to fail-safe (unlocks • during a power cut) or fail-secure (remains locked).
- Enhanced Protection: The keep safeguards both the latch and the gate frame








#### Electric Locks G



# LOCK HANDLES SELECT **YOUR STYLE**


Our selection of handles is designed to complement any gate style, from ornate and traditional to sleek and modern designs. Crafted from durable aluminium or stainless steel, these handles are built enhance the appearance of your gate, which is why we offer a range to suit



















SSH Stainless steel handle set



AH Alloy handle set






# GATE HINGES

Gate hinges are one of the most vital components of any gate, ensuring both smooth operation and user safety. That's why we prioritise the use of premium materials and expert engineering, guaranteeing our hinges don't just meet

SH SuperHinge	57
STHBP Stop Hinge	58
SCP Security Collars	59





THE SUPERHINGE ALSO COMES IN A CORNER LUG VERSION	

SH16C	M16 thread, corner lug, 150kg weight limit/pair
SH20C	M20 thread, corner lug, 300kg weight limit/pair
SH25C	M24 thread, corner lug, 450kg weight limit/pair
SH30C	M30 thread, corner lug, 900kg weight limit/pair

	Α	В	С	D	E	F
SH16	36mm	36mm	54mm	15mm	58mm	100mm
SH20	40mm	40mm	62mm	16mm	66mm	125mm
SH25	60mm	40mm	69mm	20mm	80mm	150mm
SH30	64mm	45mm	77mm	24mm	94mm	200mm

#### **Gatemaster Superhinge**

#### With our 20-year guarantee we're confident in the reliability of the Gatemaster Superhinge. Built for strength and longevity, it delivers unbeatable performance.

Designed for heavy-duty performance, the Superhinge is tested to 500,000 openings with minimal wear and incorporates brass bearings for a smooth, consistent action. Backed by a lifetime guarantee, this hinge ensures your gate operates flawlessly for decades.

- Superior Strength: Strength-tested to support gates up to 900kg per pair.
- Ultra-Durable: Proven to withstand 500,000 • openings-equivalent to 50 years of daily use (25 openings a day) with no wear.
- Built for Automation: Low-friction design makes ٠ it ideal for use with automated gates.
- Precisely Adjustable: Features an adjustable bolt for accurate on-site fitting.



#### **GATEMASTER GUARANTEE:**

We're confident in the exceptional wear resistance of these hinges and guarantee to replace any hinge showing excessive wear within 20 years of purchase.

AVAIL	ABLE VERSIONS	
SH16	M16 thread	150kg weight limit/pa
SH20	M20 thread	300kg weight limit/pa
SH25	M24 thread	450kg weight limit/pa
SH30	M30 thread	900kg weight limit/pa





# **G** GATE HINGES



# **Stop Hinge & Bottom Pivot Set**

This durable weld-in hinge kit combines practicality, adaptability, and safety for reliable gate installations. Designed with an integral stop to prevent the gate from opening beyond 100°, it ensures both safety and ease of use while maintaining a sleek, functional design.

- Improved Safety: The integral stop eliminates the need for ground stops, reducing trip hazards.
- Minimized Pinch Points: Limits gate opening • to 100° to keep gaps small and reduce potential risks.
- Precisely Adjustable: Both the top and bottom hinges offer on-site adjustment for accurate fitting.
- Versatile Design: Easily adaptable for use with • both left- and right-handed gates.
- Centred Pivot Option: The gate pivot can be positioned at the centre of the gate stile for balanced operation.




















**Hydraulic Gate Closer SEE PAGE 63** 

#### **Push Fit Security Collars**

#### Gatemaster's Security Collars are the simple yet effective solution for protecting and enhancing gate hinges.

Designed for gates with hook and eye hinges, they prevent the gate from being lifted off while adding a polished finish to the hinge.

- Added Security: Protrusions inside the collar grip the metal of the gate hook, preventing removal once installed.
- Fit in Seconds: Quick and effortless installation-• simply push onto the gate hook for a secure fit.
- Professional Appearance: Stainless steel cap ٠ provides a sleek and attractive finish for a tidy, professional look.

AVAILABLE VERSIONS	
SCP12	Security collar for 12mm pin
SCP16	Security collar for 16mm pin
SCP19	Security collar for 19mm pin
SCP22	Security collar for 22mm pin

#### **Closing Hinges**





#### **Light Duty Spring Closer SEE PAGE 65**



#### **APS Hydraulic Gate Closer & Hinge Kit**







**APSSTOP SHOWN IN GATE** 

# GATE CLOSERS

Gatemaster offers one of the largest ranges of mechanical gate closers globally. Designed to be easily adjustable and built to perform in any environment, our closers provide reliable functionality for all types of gates.

APS Hydraulic Gate Closer	
GSB Gate Closing Strut	62
LDSGC Light Duty Spring Closer	63



# Gate Closers G

Ensure safe and adjustable gate closure with this unobtrusive hydraulically controlled gate closer. Designed with proven technology, this kit is perfect for gates that require automatic self-closing functionality.

- Safe Dual-Phase Closing: The APS closer features controlled dual-phase closing speeds, preventing the gate from slamming and ensuring user safety.
- Fully Adjustable: Closing and latching speeds can • be customized to suit the specific use case.
- Strong Performance: Capable of reliably closing gates up to 150kg in weight.
- Vandal-Resistant: The durable closing unit is mounted underneath the gate, offering added protection from tampering.
- Unobtrusive Design: Installed at the bottom of the gate, the closer also functions as a load-bearing lower hinge, keeping the system compact and efficient.
- No Power Needed: As a hydraulic closer, it • operates without the need for any electricity.
- Hinge Options: Choose between a standard built-٠ in hinge (APS) or one with a built-in stop to prevent the gate from opening beyond 90° and damaging the closer (APSSTOP).
- Bolt-On Version Available: Also available as a ٠ bolt-on version (APSW) for flexible installation.

#### AVAILABLE VERSIONS

APS Standard hinge APSSTOP Gate closer with stop hinge APSW Gate closer, bolt-on installation





# **G** GATE CLOSERS

# **Gate Closing Strut**

Ensure smooth and reliable gate closing for both metal and wooden gates with the GSB gate closer. Perfect for gates weighing up to 80kg, this durable closer uses hydraulic damping to ensure the gate closes slowly and steadily. Simply weld or screw fix the brackets to the gate and post, and attach the closer for consistent, reliable performance.

- Proven Reliability: Our trusted gate closer solution has been reliably closing gates for years.
- Adjustable Force: No need to release gassimply move the closer along the brackets to adjust the closing force, giving you full control over the gate's movement.
- Effortless Fitting: Adjustable brackets ensure easy installation, with no need to compress the strut.
- Versatile Installation: Comes with both weld-on • and screw-fix brackets, allowing easy fitting to a wide range of gate types.
- Handles Heavier Gates: Can close much heavier gates if the hinges are free-running; contact us for advice on your specific gate.
- **Optional Force Reduction:** For permanent force reduction, a gas release tool is available-get in touch with the Gatemaster team for more details.


Available with weld-fix or screw-fix brackets, the GSB gate closer is suitable for both metal and wooden gates.

**AVAILABLE VERSIONS** 

GSB

GSB	
	GSBW





SHOWN FITTED TO GATE



"Great service, competitive products, highly recommended and will have no hesitation in using again for future orders!"

62 SUPERIOR SOLUTIONS FOR GATE SAFETY & SECURITY CALL +44 (0)1243 558580 EMAIL SALES@GATEMASTERLOCKS.COM

#### **Light Duty Spring Closer**

#### Keep access gates safely closed with this light-duty gate closer.

For gates requiring a reliable and safe closing mechanism, this closer is easy to weld onto smaller gates and fabrications, ensuring consistent and dependable performance. This dependable gate closer is a perfect solution for ensuring safety on access gates for commercial and work sites.

- Effortless Installation: Simply weld on the lugs and adjust the force as needed.
- **Customisable Tension:** On-site spring tension adjustment is quick and easy-just lift and rotate the adjuster wheel.
- Ready to Finish: Supplied to self-colour, allowing • for galvanising and painting to match the gate.
- High Quality & Long-Lasting: Precision • engineered and built with durable materials to provide reliable performance and withstand daily use over time.

#### **AVAILABLE VERSIONS**

Left hand

LDSGCL LDSGCR

Right hand







Our range of gate accessories is designed with ease and practicality in mind. From enhanced drop bolts with improved usability and security to gate bump stops and innovative gate security solutions, we offer everything you need for reliable and efficient gate safety and operation.

Drop Bolts	66
Buffers	70
Safety & Security	72









#### Drop Bolts Secure In-Ground Protection

Our drop bolts are thoughtfully engineered to prevent lifting by intruders when both gates are closed, offering superior security compared to standard designs.



#### Buffers Silent, Smooth Closing

Keep your gate closing quietly with our bump stops, available as standalone products or combined slam plates with pre-fitted stops for added convenience.

#### Safety & Security Products Protecting People and Properties

Explore our range of innovative solutions designed to enhance property security and ensure the safety of gate users.



70

# G GATEMASTER 65



## DROP BOLTS RELIABLE IN-GROUND SECURITY

At Gatemaster, we're committed to continuous innovation, delivering a range of products designed to enhance gate security. Our drop bolts are specifically engineered to prevent gates from being forced apart, ensuring robust protection.

With options for both metal and wooden gates, our drop bolts are built for heavy outdoor use, featuring solid construction and a durable galvanised or stainless steel finish.

LDB Locking Drop Bolt	67
ADB Auto-locking Drop Bolt	68
CD Concealed Drop Bolt	69



015 (9/167  $\star \star \star \star \star$ 

"Talked me through the gate issue, gave very useful specific advice."


#### **Secure Locking Drop Bolt**

# Secure your double gates with this simple yet innovative locking drop bolt.

Designed for strength and ease of use, it fits easily to the gate with expanding fasteners. Made for double gates, the locking plate is rotated round the edge of the gate frame, and cannot be lifted once the second gate is closed.

- **Robust Build:** Strongly constructed and available in aluminium or stainless steel finishes for durability.
- **Easy to Install:** Requires only two 13mm holes in the gate and secures with the included expanding fasteners.
- Adaptable Design: Suitable for both left- and right-handed gates.
- Simple to Secure: When the drop bolt is lowered and rotated, closing the second gate ensures it cannot be unlocked.

AVAILABLE VER	SIONS
LDB	Locking drop bolt, aluminium
LDBSS	Locking drop bolt, stainless steel





# **G** GATE ACCESSORIES



#### **Auto-Locking Drop Bolt**

#### Secure your double gates with this heavy-duty autolocking drop bolt.

Designed for durability and functionality, the drop bolt locks securely into position when lowered and rotated, with the lifting plate folding across the edge of the gate. Once the second gate is closed, the bolt cannot be unlocked.


- **Robust Build:** 19mm drop bolt with a 100mm throw ensures the gate is firmly secured into the ground.
- Flexible Installation: Available in both weld-fix and bolt-on versions to suit your requirements. The bolt-on version is supplied with fixing bolts
- Clever Security: Ingenious design prevents the drop bolt from being lifted when both gates are closed.
- Versatile Design: Suitable for use with both leftand right-handed gates.







M10 Length of rod -

AVAILABLE VERSIONS	
ADB	Weld-on
ADBS	Screw fixed







#### **Concealed Vertical Drop Bolt**

#### Keep your gates secure with this sleek and tamperproof drop bolt.

Designed to fit neatly within the box section of single or double gates, this innovative drop bolt is discreet, durable, and highly effective. Simply cut slots in the gate stile, weld in the supplied boxes, and assemble with M10 threaded bar (not included) for a secure and professional finish.

- Tamper-Proof Design: The drop bolt is fully enclosed within the gate frame for added security.
- Simple Assembly: Uses M10 studding that can be cut to length, making it suitable for a range of gate sizes.
- Versatile Fit: Compatible with any box section • larger than 30mm x 30mm.
- Clever Security for Double Gates: On the double-• gate version, the drop bolt can be lowered, rotated, and locked in position. Closing the second gate ensures it cannot be unlocked.

Available in two versions: one for single gates and one for double gates.

# **AVAILABLE VERSIONS** CDS Single gate drop bolt CDD Double gate drop bolt

Assembled





# BUFFERS SILENT CLOSING

Gate buffers are essential for preventing noisy gate closures, ensuring the gate closes smoothly without a loud bang. They are particularly beneficial in residential areas where gates are in constant use, helping to minimize noise and disruption.

For added convenience, we also offer buffers pre-fitted to a bracket that doubles as a gate stop, eliminating the need to install a separate stop to prevent the gate from swinging back in the opposite direction.









#### **Gate Bump Stop**

These bump stops will reduce the noise and vibrations of the gate banging shut, often used in residential areas where noise can disturb the public.

- Noise Damper: Reduces the noise made when a gate closes.
- **Easy to install:** Simply screw into the gate stop with the nut provided.

AVAILABLE	VERSIONS
BS18	18 diameter × 7.5mm, M6 × 15 thread
BS50	50 diameter × 30mm, M10 × 25 thread

# **Gate Silencer Kit**

Ensure quieter gate closing with a gate silencer kit. This is an angle bracket fitted with 2 bump stops which can be easily fitted to existing gates to prevent banging when the gate closes.

- **Easy to Fit:** Kit comes fully assembled to be bolted onto the gate post and supplied with fixings.
- **Durable:** Black powder coat finish, designed for use outside.





## GATE SAFETY & SECURITY ENHANCING PROPERTY PROTECTION

Our range of innovative solutions is designed to ensure the security of properties and the safety of gate users Our safety and security products are engineered to be both practical and long-lasting.

GRS Gate Safety Restrainer 74 Other Safety & Security Products 75 1 2

**Strength:** Braided wire construction provides superior strength for reliable performance.

**Durability:** Stainless steel offers exceptional corrosion resistance, making it ideal for outdoor use.

72 SUPERIOR SOLUTIONS FOR GATE SAFETY & SECURITY CALL +44 (0)1243 558580 EMAIL SALES@GATEMASTERLOCKS.COM


# Gate Safety & Security G

#### 3

**Simplicity:** Simple installation requires just two drilled holes, with stop ends that push in easily.

#### 4

**Smoothness:** Plastic caps ensure smooth operation, allowing the system to slide in and out effortlessly.





# **G** GATE ACCESSORIES



## **Gatemaster Gate Restrainer**

Improve safety and protect your property and pedestrians with the stainless steel gate restrainer. This safety device is designed to reduce the risk of gates falling in the event of hinge failure, offering an essential backup for swing gates where there is a risk of hinge failure causing harm or property damage.

- Heavy Duty: Made from flexible braided stainless steel wire and stainless steel end stops for robust performance.
- **Easy Installation:** Requires just two 13mm holes for quick and simple fitting.
- Versatile: Compatible with any box section gate and can be easily retrofitted to existing gates.
- Weather-Resistant: Crafted from stainless steel, ٠ making it ideal for all outdoor environments.
- Sleek and Discreet: Offers a neat, unobtrusive finish that complements any gate colour.
- Tested for Strength: Proven to withstand gates up to 500kg in weight.



# Weld on to protect an exposed euro cylinder from attack.

AVAILABLE VERSIONS	
WSE04	4mm thickness
WSE08	8mm thickness
WSE12	12mm thickness


Screw-fixed escutcheon to cover euro cylinder hole and protect it from attack.


AVAILABLE VERSION	IS
SSE	Stainless steel security escutcheon

Please note: This solution assumes that, in the event of hinge failure, the edge of the gate will hit the ground before the restrainer engages. The device is designed to prevent the gate falling sideways, not to bear its full weight. If the gap from the bottom of the gate to the ground exceeds the length of the restraining device, it may not be suitable for your gate.

AVAILABLE VERSIONS (based on a maximum gate w	idth of 8.2ft)
GRS03 For gates up to 260kg	
GRS04	For gates up to 500kg







Fit to a hook and eye type hinge to prevent the gate being lifted off.



Used on sites or platform gates to ensure gate is always kept closed, keeping workers safe.

AVAILABLE VERSIONS	
LDSGC	Light duty spring closer
SEE PAGE 63 FOR MORE INFORMATION	

#### **Weld-On Security Escutcheon**



#### **Stainless Steel Security Escutcheon**



#### **Push-Fit Security Collar**



#### **Light Duty Spring Closer**





#### **Product Codes A-Z**

To find the full code for product variations please go to the page and check the available versions.

ADB	68
AH	55
APS	61
APSSTOP	61
APSW	61
BD	9
BDG	11
BDGRR	13
BDGSRR	13
BDGS	12
BDGSW	40
BDGW	39
ВК	10
BLD	8
BQS	18
BQDG	14
BQDG BQK	14 15
BQK	15
BQK BQNA	15
BQK BQNA BS	15 16 71
BQK BQNA BS BSK	15 16 71 17
BQK BQNA BS BSK BQS	15 16 71 17 18

DGLS	29
DGLW	44
DROPBOLTS	66
EMGK	51
ERHDM	52
GLB	42
GLBB	42
GRS	74
GSB	62
GSK	71
HANDLES	54
LDB	67
LDSGC	63
ML4	48
MLK	49
ОК	55
P	55
PS	55
QUICK EXIT	14-16, 25-27
R	55
RAPIDRESET	13
RBA	19
RS	55
SBD	22

SBKLLT	23
SBL	24
SBLD	21
SBQEDG	26
SBQEDGLW	45
SBQEK	25
SBQENA	27
SBQES	30
SCP	59
SELECTPRO BOLT-ON	20
SELECTPRO WELD-IN	32
SH	57
SHROUDS	18,30
SLDS	41
SSE	36
SSH	55
STHBP	58
SUPERHINGE	57
SUPERLOCK	6
SWD	34
SWKLLT	35
SWLD	33
т	55
WSE	36



Need help finding the right gate hardware? Our team is here to assist! Get in touch with us today for expert advice and quality



# Contact Us G



# GATEMASTER

SUPERIOR SOLUTIONS FOR GATE SAFETY & SECURITY



Unit 3 & 5 Dickinson Place, Durban Road Industrial Estate, Bognor Regis, West Sussex, PO22 9QU, United Kingdom Phone: +1 214-872-9687 Email: sales@gatemasterlocks.com www.gatemasterlocks.com



